



Bibliography for Novalis Tx™ Radiosurgery November 2009

Bibliography of SRS/SBRT Clinical and Technical Journal Publications on the Novalis Tx™ radiosurgery platform and the Novalis® Shaped Beam Surgery system and Supporting Technology

Brain Tumors – Benign

Benign Meningioma & Other Benign Tumors

NEW Anker CJ, Shrieve DC. [Basic principles of radiobiology applied to radiosurgery and radiotherapy of benign skull base tumors](#). *Otolaryngol Clin North Am*. 2009 Aug;42(4):601-21. *University of Utah, Salt Lake City*

[Girvigian MR, Chen JC, Rahimian J, Miller MJ, Tome M](#). Comparison of early complications for patients with convexity and parasagittal meningiomas treated with either stereotactic radiosurgery or fractionated stereotactic radiotherapy. *Neurosurgery*. 2008 May;62(5 Suppl):A19-27. *Southern California Permanente Medical Group and Kaiser Foundation, Los Angeles, CA*

[Hamm KD, Gross MW, Fahrig A, Surber G, Henzel M, Kleinert G, Grabenbauer GG, Engenhardt-Cabillic R](#). Stereotactic radiotherapy for the treatment of nonacoustic schwannomas. *Neurosurgery*. 2008 May;62(5 Suppl):A29-36 *Helios Klinikum Erfurt, Erfurt, Germany*

[Kan P, Liu JK, Wendland MM, Shrieve D, Jensen RL](#). Peritumoral edema after stereotactic radiosurgery for intracranial meningiomas and molecular factors that predict its development. *J Neurooncol*. 2007 May;83(1):33-8. *University of Utah, Salt Lake City*

[Ernst-Stecken A, Lambrecht U, Mueller R, Ganslandt O, Sauer R, Grabenbauer G](#). Dose escalation in large anterior skull-base tumors by means of IMRT. First experience with the Novalis system. *Strahlenther Onkol*. 2006 Mar;182(3):183-9. *University Hospital of Erlangen-Nuremberg, Erlangen, DE*

[Shrieve DC, Hazard L, Boucher K, Jensen RL](#). Dose fractionation in stereotactic radiotherapy for parasellar meningiomas: radiobiological considerations of efficacy and optic nerve tolerance. *J Neurosurg*. 2004 Nov;101 Suppl 3:390-5. *University of Utah, Salt Lake City*

[Baumert BG, Villà S, Studer G, Mirimanoff RO, Davis JB, Landau K, Ducrey N, Arruga J, Lambin P, Pica A](#). Early improvements in vision after fractionated stereotactic radiotherapy for primary optic nerve sheath meningioma. *Radiother Oncol*. 2004 Aug;72(2):169-74. *University Hospital Zurich, SW*. [FullText+Links](#) | [PDF](#)

[Selch MT, Ahn E, Laskari A, Lee SP, Agazaryan N, Solberg TD, Cabatan-Awang C, Frighetto L, Desalles AA](#). Stereotactic radiotherapy for treatment of cavernous sinus meningiomas. *Int J Radiat Oncol Biol Phys*. 2004 May 1;59(1):101-11. *UCLA, Los Angeles*, [Full Text + Links](#) | [PDF](#)

[Biswas T, Sandhu AP, Singh DP, Schell MC, Maciunas RJ, Bakos RS, Muhs AG, Okunieff P](#). Low-dose radiosurgery for benign intracranial lesions. *Am J Clin Oncol*. 2003 Aug;26(4):325-31. *University of Rochester Medical Center, Rochester, NY*

[Torres RC, Frighetto L, De Salles AA, Goss B, Medin P, Solberg T, Ford JM, Selch M](#). Radiosurgery and stereotactic radiotherapy for intracranial meningiomas. *Neurosurg Focus*. 2003 May 15;14(5):e5. *UCLA, Los Angeles, CA*

[Liu JK, Forman S, Moorthy CR, Benzil DL](#). Update on treatment modalities for optic nerve sheath meningiomas. *Neurosurg Focus*. 2003 May 15;14(5):e7, *University of Utah, Salt Lake City, UT*



[Andrews DW, Faroozan R, Yang BP, Hudes RS, Werner-Wasik M, Kim SM, Sergott RC, Savino PJ, Shields J, Shields C, Downes MB, Simeone FA, Goldman HW, Curran WJ Jr.](#) Fractionated stereotactic radiotherapy for the treatment of optic nerve sheath meningiomas: preliminary observations of 33 optic nerves in 30 patients with historical comparison to observation with or without prior surgery. *Neurosurgery*. 2002 Oct;51(4):890-902; discussion 903-4. *Thomas Jefferson University, Philadelphia*

[Villavicencio AT, Black PM, Shrieve DC, Fallon MP, Alexander E, Loeffler JS.](#) Linac radiosurgery for skull base meningiomas. *Acta Neurochir (Wien)*. 2001 Nov;143(11):1141-52. *Brigham and Women's Hospital, Boston*

[Meijer OW, Vandertop WP, Lagerwaard FJ, Slotman BJ.](#) Linear accelerator-based stereotactic radiosurgery for bilateral vestibular schwannomas in patients with neurofibromatosis type 2. *Neurosurgery*. 2008 May;62(5 Suppl):A37-43, *VU University Medical Center, Amsterdam*

[Radu A, Pica A, Villemure JG, Maire R.](#) [Indications and results of stereotactic radiosurgery with LINAC for the treatment of acoustic neuromas: preliminary results] *Ann Otolaryngol Chir Cervicofac*. 2007 Jul;124(3):110-4. *CHU Vaudois, Lausanne*

[Selch MT, Pedroso A, Lee SP, Solberg TD, Agazaryan N, Cabatan-Awang C, DeSalles AA.](#) Stereotactic radiotherapy for the treatment of acoustic neuromas. *J Neurosurg*. 2004 Nov;101 Suppl 3:362-72. *UCLA, Los Angeles*

[Surber G, Hamm K, Kleinert G.](#) Significance of different conformity indices for evaluation of radiosurgery treatment plans for vestibular schwannomas. *J Neurosurg*. 2004 Nov;101 Suppl 3:334-40. *Helios Klinikum Erfurt, Germany*

[Meijer OW, Vandertop WP, Baayen JC, Slotman BJ.](#) Single-fraction vs. fractionated linac-based stereotactic radiosurgery for vestibular schwannoma: a single-institution study. *Int J Radiat Oncol Biol Phys*. 2003 Aug 1;56(5):1390-6. *VU University Medical Center, Amsterdam*, [Full Text + Links](#), [PDF](#)

[Andrews DW, Suarez O, Goldman HW, Downes MB, Bednarz G, Corn BW, Werner-Wasik M, Rosenstock J, Curran WJ Jr.](#) Stereotactic radiosurgery and fractionated stereotactic radiotherapy for the treatment of acoustic schwannomas: comparative observations of 125 patients treated at one institution. *Int J Radiat Oncol Biol Phys*. 2001 Aug 1;50(5):1265-78. *Thomas Jefferson University, Philadelphia*. [Full Text + Links](#) | [PDF](#)

[De Salles AA, Frighetto L, Grande CV, Solberg TD, Cabatan-Awang C, Selch MT, Wallace R, Ford J.](#) Radiosurgery and stereotactic radiation therapy of skull base meningiomas: proposal of a grading system. *Stereotact Funct Neurosurg*. 2001;76(3-4):218-29. *UCLA, Los Angeles*

Brain Tumors – Benign

Vestibular Schwannoma (Acoustic Neuroma)

NEW Lin YC, Wang CC, Wai YY, Wan YL, Ng SH, Chen YL, Liu HL, Wang JJ. [Significant Temporal Evolution of Diffusion Anisotropy for Evaluating Early Response to Radiosurgery in Patients with Vestibular Schwannoma: Findings from Functional Diffusion Maps](#). *AJNR Am J Neuroradiol*. 2009 Sep 24. *Chang Gung University, Taiwan, Republic of China*. [Epub ahead of print]

Lagerwaard FJ, Meijer OW, van der Hoorn EA, Verbakel WF, Slotman BJ, Senan S. [Volumetric modulated arc radiotherapy for vestibular schwannomas](#). *Int J Radiat Oncol Biol Phys*. 2009 Jun 1;74(2):610-5. *VU University Medical Center, Amsterdam*

Andrews DW, Werner-Wasik M, Den RB, Paek SH, Downes-Phillips B, Willcox TO, Bednarz G, Maltenfort M, Evans JJ, Curran WJ Jr. [Toward dose optimization for fractionated stereotactic radiotherapy for acoustic neuromas: comparison of two dose cohorts](#). *Int J Radiat Oncol Biol Phys*. 2009 Jun 1;74(2):419-26. *Thomas Jefferson University, Philadelphia*



[Meijer OW, Vandertop WP, Lagerwaard FJ, Slotman BJ](#). Linear accelerator-based stereotactic radiosurgery for bilateral vestibular schwannomas in patients with neurofibromatosis type 2. *Neurosurgery*. 2008 May;62(5 Suppl):A37-43. *VU University Medical Center, Amsterdam*

[Radu A, Pica A, Villemure JG, Maire R](#). [Indications and results of stereotactic radiosurgery with LINAC for the treatment of acoustic neuromas: preliminary results] *Ann Otolaryngol Chir Cervicofac*. 2007 Jul;124(3):110-4. *CHU Vaudois, Lausanne*

[Selch MT, Pedroso A, Lee SP, Solberg TD, Agazaryan N, Cabatan-Awang C, DeSalles AA](#). Stereotactic radiotherapy for the treatment of acoustic neuromas. *J Neurosurg*. 2004 Nov;101 Suppl 3:362-72. *UCLA, Los Angeles*

[Surber G, Hamm K, Kleinert G](#). Significance of different conformity indices for evaluation of radiosurgery treatment plans for vestibular schwannomas. *J Neurosurg*. 2004 Nov;101 Suppl 3:334-40. *Helios Klinikum Erfurt, Germany*

Brain Tumors – Benign

Pituitary Adenoma, Craniopharyngioma and Cushing's Disease

[Ramakrishna N](#). The role of fractionated radiotherapy and stereotactic radiosurgery for pituitary adenomas. *Nat Clin Pract Endocrinol Metab*. 2008 Mar;4(3):138-9. *Brigham and Women's Hospital, Boston*

[Selch MT, Gorqulho A, Lee SP, Mattozo C, Solberg TD, Agazaryan N, Desalles AA](#). Stereotactic radiotherapy for the treatment of pituitary adenomas. *Minim Invasive Neurosurg*. 2006 Jun;49(3):150-5. *UCLA, Los Angeles*

[Liu JK, Schmidt MH, MacDonald JD, Jensen RL, Couldwell WT](#). Hypophysial transposition (hypophysopexy) for radiosurgical treatment of pituitary tumors involving the cavernous sinus. Technical note. *Neurosurg Focus*. 2003 May 15;14(5):e11. *University of Utah, Salt Lake City*, [PDF](#)

[Selch MT, DeSalles AA, Wade M, Lee SP, Solberg TD, Wallace RE, Ford JM, Rubino G, Cabatan-Awang C, Withers HR](#). Initial clinical results of stereotactic radiotherapy for the treatment of craniopharyngiomas. *Technol Cancer Res Treat*. 2002 Feb;1(1):51-9. *UCLA, Los Angeles*

Brain Tumors – Malignant & Metastatic

Glioma / Glioblastoma / Malignant Meningioma

Schwer AL, Kavanagh BD, McCammon R, Gaspar LE, Kleinschmidt-De Masters BK, Stuhr K, Chen C. [Radiographic and Histopathologic Observations After Combined EGFR Inhibition and Hypofractionated Stereotactic Radiosurgery in Patients with Recurrent Malignant Gliomas](#). *Int J Radiat Oncol Biol Phys*. 2009 Apr 1;73(5):1352-7. *University of Colorado Denver, Aurora, CO*

Biswas T, Okunieff P, Schell MC, Smudzin T, Pilcher WH, Bakos RS, Vates GE, Walter KA, Wensel A, Korones DN, Milano MT. [Stereotactic radiosurgery for glioblastoma: retrospective analysis](#). *Radiat Oncol*. 2009 Mar 17;4(1):11. *University of Rochester, Rochester, NY*

[Krishnan AP, Asher IM, Davis D, Okunieff P, O'Dell WG](#). Evidence that MR diffusion tensor imaging (tractography) predicts the natural history of regional progression in patients irradiated conformally for primary brain tumors. *Int J Radiat Oncol Biol Phys*. 2008 Aug 1;71(5):1553-62. *University of Rochester, Rochester, NY*

[Mattozo CA, De Salles AA, Klement IA, Gorqulho A, McArthur D, Ford JM, Agazaryan N, Kelly DF, Selch MT](#). Stereotactic radiation treatment for recurrent nonbenign meningiomas. *J Neurosurg*. 2007 May;106(5):846-54. *UCLA, Los Angeles*



[Han SR, Yoon SW, Yee GT, Choi CY, Sohn MJ, Lee DJ, Whang CJ](#). Novalis radiosurgery of optic gliomas in children: preliminary report. *Pediatr Neurosurg*. 2007;43(4):251-7. *Inje University, Goyang, KR*

[Ernst-Stecken A, Ganslandt O, Lambrecht U, Sauer R, Grabenbauer G](#). Survival and quality of life after hypofractionated stereotactic radiotherapy for recurrent malignant glioma. *J Neurooncol*. 2007 Feb;81(3):287-94. *University of Erlangen, Erlangen, Germany*

Brain Tumors – Malignant & Metastatic

Brain – Metastatic Disease

NEW Chen JC, Bugoci DM, Girvigian MR, Miller MJ, Arellano A, Rahimian J. Control of brain metastases using frameless image-guided radiosurgery, *Neurosurgical FOCUS*, Dec 2009, 27(6): E6 . *Southern California Permanente Medical Group and Kaiser Foundation, Los Angeles* [Abstract](#)

NEW Gu HW, Sohn MJ, Lee DJ, Lee HR, Lee CH, Whang CJ. [Clinical analysis of novalis stereotactic radiosurgery for brain metastases](#). *J Korean Neurosurg Soc*. 2009 Sep;46(3):245-51. *Inje University College of Medicine, Ilsan Paik Hospital, Goyang, Korea*.

Lagerwaard FJ, van der Hoorn EA, Verbakel WF, Haasbeek CJ, Slotman BJ, Senan S. [Whole-Brain Radiotherapy With Simultaneous Integrated Boost to Multiple Brain Metastases Using Volumetric Modulated Arc Therapy](#). *Int J Radiat Oncol Biol Phys*. 2009 Sep 1;75(1):253-9. *VU University Medical Center, Amsterdam, The Netherlands*

Breneman JC, Steinmetz R, Smith A, Lamba M, Warnick RE. [Frameless Image-Guided Intracranial Stereotactic Radiosurgery: Clinical Outcomes for Brain Metastases](#). *Int J Radiat Oncol Biol Phys*. July 2009;74(3):702-6 , *Cincinnati Neuroscience Institute, Cincinnati*

Hoefnagels FW, Lagerwaard FJ, Sanchez E, Haasbeek CJ, Knol DL, Slotman BJ, Peter Vandertop W. [Radiological progression of cerebral metastases after radiosurgery: assessment of perfusion MRI for differentiating between necrosis and recurrence](#). *J Neurol*. 2009 Jun;256(6):878-87. *VU University Medical Centre, Amsterdam, The Netherlands*

[Samlowski WE, Majer M, Boucher KM, Shrieve AF, Dechet C, Jensen RL, Shrieve DC](#). Multidisciplinary treatment of brain metastases derived from clear cell renal cancer incorporating stereotactic radiosurgery. *Cancer*. 2008 Nov 1;113(9):2539-48. *University of Utah, Salt Lake City*

[Samlowski WE, Jensen RL, Shrieve DC](#). Multimodality management of brain metastases in metastatic melanoma patients. *Expert Rev Anticancer Ther*. 2007 Dec;7(12):1699-705. *Univ. of Utah, Salt Lake City*

[Fahrig A, Ganslandt O, Lambrecht U, Grabenbauer G, Kleinert G, Sauer R, Hamm K](#). Hypofractionated Stereotactic Radiotherapy for Brain Metastases : Results from Three Different Dose Concepts. *Strahlenther Onkol*. 2007 Nov;183(11):625-630. *University of Erlangen, Germany*

[Teh BS, Bloch C, Paulino AC, Shen S, Hinckley L, Baskin D, Butler EB, Amato R](#). Pathologic complete response in renal cell carcinoma brain metastases treated with stereotactic radiosurgery. *Clin Genitourin Cancer*. 2007 Jun;5(5):334-7. *Baylor College of Medicine – The Methodist Hospital, Houston*

[Samlowski WE, Watson GA, Wang M, Rao G, Klimo P Jr, Boucher K, Shrieve DC, Jensen RL](#). Multimodality treatment of melanoma brain metastases incorporating stereotactic radiosurgery (SRS). *Cancer*. 2007 May 1;109(9):1855-62. *University of Utah, Salt Lake City*

[Ernst-Stecken A, Ganslandt O, Lambrecht U, Sauer R, Grabenbauer G](#). Phase II trial of hypofractionated stereotactic radiotherapy for brain metastases: results and toxicity. *Radiother Oncol*. 2006 Oct;81(1):18-24. *University of Erlangen-Nuremberg, Erlangen, DE*



[Doh LS, Amato RJ, Paulino AC, Teh BS](#). Radiation therapy in the management of brain metastases from renal cell carcinoma. *Oncology* (Williston Park). 2006 May;20(6):603-13; discussion 613, 616, 619-20. *Baylor College of Medicine – The Methodist Hospital, Houston*

[Binder D, Temmesfeld-Wollbruck B, Wurm R, Woiciechowsky C, Schaper C, Schurmann D, Suttorp N, Beinert T](#). [Brain metastases of lung cancer] *Dtsch Med Wochenschr*. 2006 Jan 27;131(4):165-71. *Charité-Universitätsmedizin, Berlin, DE*

[Hazard LJ, Jensen RL, Shrieve DC](#). Role of stereotactic radiosurgery in the treatment of brain metastases. *Am J Clin Oncol*. 2005 Aug;28(4):403-10. *University of Utah, Salt Lake City*

[Okunieff P, Schell MC, Ruo R, Hale ER, O'Dell WG, Pilcher W](#). Long-term management of patients with multiple brain metastases after shaped beam radiosurgery. Case report and review of the literature. *J Neurosurg*. 2004 Nov;101 Suppl 3:406-12. *University of Rochester Medical Center, Rochester, NY*

[Chitapanarux I, Goss B, Vongtama R, Frighetto L, De Salles A, Selch M, Duick M, Solberg T, Wallace R, Cabatan-Awang C, Ford J](#). Prospective study of stereotactic radiosurgery without whole brain radiotherapy in patients with four or less brain metastases: incidence of intracranial progression and salvage radiotherapy. *J Neurooncol*. 2003 Jan;61(2):143-9. *UCLA, Los Angeles*

[Manning MA, Cardinale RM, Benedict SH, Kavanagh BD, Zwicker RD, Amir C, Broaddus WC](#). Hypofractionated stereotactic radiotherapy as an alternative to radiosurgery for the treatment of patients with brain metastases. *Int J Radiat Oncol Biol Phys*. 2000 Jun 1;47(3):603-8 *UCLA, Los Angeles*,

Brain – Pediatric

[Buis DR, Dirven CM, Lagerwaard FJ, Mandl ES, Lycklama Å Nijeholt GJ, Eshghi DS, van den Berg R, Baayen JC, Meijer OW, Slotman BJ, Vandertop WP](#). Radiosurgery of brain arteriovenous malformations in children. *J Neurol*. 2008 Apr;255(4):551-60. *VU University Medical Center, Amsterdam*

[Han SR, Yoon SW, Yee GT, Choi CY, Sohn MJ, Lee DJ, Whang CJ](#). Novalis radiosurgery of optic gliomas in children: preliminary report. *Pediatr Neurosurg*. 2007;43(4):251-7. *Inje University, Goyang, KR, [PDFaccess](#)*

[Loeffler JS, Rossitch E Jr, Siddon R, Moore MR, Rockoff MA, Alexander E 3rd](#). Role of stereotactic radiosurgery with a linear accelerator in treatment of intracranial arteriovenous malformations and tumors in children. *Pediatrics*. 1990 May;85(5):774-82. *Children's Hospital, Boston*

Brain – Functional Disease

Trigeminal Neuralgia and other Pain

NEW [Zahra H, Teh BS, Paulino AC, Yoshor D, Trask T, Baskin D, Butler EB](#). [Stereotactic Radiosurgery for Trigeminal Neuralgia Utilizing the BrainLAB Novalis System](#). *Technol Cancer Res Treat*. 2009 Dec;8(6):407-12. *Technol Cancer Res Treat*. 2009 Dec;8(6):407-12. *Baylor College of Medicine, Houston*

[Chen JC, Greathouse HE, Girvigian MR, Miller MJ, Liu A, Rahimian J](#). Prognostic factors for radiosurgery treatment of trigeminal neuralgia. *Neurosurgery*. 2008 May;62(5 Suppl):A53-61. *Southern California Permanente Medical Group and Kaiser Foundation, Los Angeles*

[Gorgulho AA, De Salles AA](#). Impact of radiosurgery on the surgical treatment of trigeminal neuralgia. *Surg Neurol*. 2006 Oct;66(4):350-6. *UCLA, Los Angeles*,

[Gorgulho A, De Salles AA, McArthur D, Agazaryan N, Medin P, Solberg T, Mattozo C, Ford J, Lee S, Selch MT](#). Brainstem and trigeminal nerve changes after radiosurgery for trigeminal pain. *Surg Neurol*. 2006 Aug;66(2):127-35; discussion 135. *UCLA, Los Angeles*,



[Chen JC, Girvigian M, Greathouse H, Miller M, Rahimian J.](#) Treatment of trigeminal neuralgia with linear accelerator radiosurgery: initial results. *J Neurosurg.* 2004 Nov;101 Suppl 3:346-50. *Southern California Permanente Medical Group, Los Angeles*

[Rahimian J, Chen JC, Rao AA, Girvigian MR, Miller MJ, Greathouse HE.](#) Geometrical accuracy of the Novalis stereotactic radiosurgery system for trigeminal neuralgia. *J Neurosurg.* 2004 Nov;101 Suppl 3:351-5. *Southern California Permanente Medical Group, Los Angeles*

[Frighetto L, De Salles AA, Smith ZA, Goss B, Selch M, Solberg T.](#) Noninvasive linear accelerator radiosurgery as the primary treatment for trigeminal neuralgia. *Neurology.* 2004 Feb 24;62(4):660-2. *UCLA, Los Angeles*

[Goss BW, Frighetto L, DeSalles AA, Smith Z, Solberg T, Selch M.](#) Linear accelerator radiosurgery using 90 gray for essential trigeminal neuralgia: results and dose volume histogram analysis. *Neurosurgery.* 2003 Oct;53(4):823-8; discussion 828-30. *UCLA, Los Angeles*

[De Salles AA, Frighetto L, Lacan G, Melega W.](#) Radiosurgery can achieve precision needed for functional neurosurgery. *Arch Neurol.* 2003 Oct;60(10):1494-6. *UCLA, Los Angeles*

[Smith ZA, De Salles AA, Frighetto L, Goss B, Lee SP, Selch M, Wallace RE, Cabatan-Awang C, Solberg T.](#) Dedicated linear accelerator radiosurgery for the treatment of trigeminal neuralgia. *J Neurosurg.* 2003 Sep;99(3):511-6. *UCLA, Los Angeles*

Brain – Functional Disease

Arteriovenous Malformations and Cavernomas

Yuki I, Kim RH, Duckwiler G, Jahan R, Tateshima S, Gonzalez N, Gorgulho A, Diaz JL, De Salles AA, Viñuela F. [Treatment of brain arteriovenous malformations with high-flow arteriovenous fistulas: risk and complications associated with endovascular embolization in multimodality treatment.](#) *J Neurosurg.* 2009 Oct 16. *UCLA, Los Angeles, CA* [Epub ahead of print]

[Hamm KD, Klisch J, Surber G, Kleinert G, Eger C, Aschenbach R.](#) Special aspects of diagnostic imaging for radiosurgery of arteriovenous malformations. *Neurosurgery.* 2008 May;62(5 Suppl):A44-52 *Helios Klinikum Erfurt, Erfurt, Germany*

[Veznedaroglu E, Andrews DW, Benitez RP, Downes MB, Werner-Wasik M, Rosenstock J, Curran WJ Jr, Rosenwasser RH.](#) Fractionated stereotactic radiotherapy for the treatment of large arteriovenous malformations with or without previous partial embolization. *Neurosurgery.* 2008 Feb;62 Suppl 2:519-30; discussion 530-1. *Thomas Jefferson Hospital, Philadelphia*

[Moreno-Jimenez S, Celis MA, Larraga-Gutierrez JM, Suarez-Campos Jde J, Garcia-Garduño A, Hernandez-Bojorquez M, Gutiérrez-Aceves GA.](#) Intracranial arteriovenous malformations treated with LINAC-based conformal radiosurgery: validation of the radiosurgery-based arteriovenous malformation score as a predictor of outcome. *Neurol Res.* 2007 Oct;29(7):712-6. *Instituto Nacional de Neurología y Neurocirugía, Tlalpan, México*

[Hsu PW, Chang CN, Tseng CK, Wei KC, Wang CC, Chuang CC, Huang YC.](#) Treatment of epileptogenic cavernomas: surgery versus radiosurgery. *Cerebrovasc Dis.* 2007;24(1):116-20, *Chang Gung Memorial Hospital, Tao Yuan, Taiwan, ROC*

[Jahan R, Solberg TD, Lee D, Medin P, Tateshima S, De Salles A, Sayre J, Vinters HV, Vinuela F.](#) An arteriovenous malformation model for stereotactic radiosurgery research. *Neurosurgery.* 2007 Jul;61(1):152-9; discussion 159. *UCLA, Los Angeles*



[Moreno-Jimenez S, Celis MA, Larraga-Gutierrez JM, de Jesus Suarez-Campos J, Garcia-Garduno A, Hernandez-Bojorquez M.](#) Intracranial arteriovenous malformations treated with linear accelerator-based conformal radiosurgery: clinical outcome and prediction of obliteration. *Surg Neurol.* 2007 May;67(5):487-91; discussion 491-2. *National Institute of Neurology and Neurosurgery, Mexico City, MX* [Full Text + Links](#), [PDF](#)

[Cover KS, Lagerwaard FJ, van den Berg R, Buis DR, Slotman BJ.](#) Color intensity projection of digitally subtracted angiography for the visualization of brain arteriovenous malformations. *Neurosurgery.* 2007 Mar;60(3):511-4; discussion 514-5. *VU University Medical Center, Amsterdam*

[Buis DR, Lagerwaard FJ, Dirven CM, Barkhof F, Knol DL, van den Berg R, Slotman BJ, Vandertop WP.](#) Delineation of brain AVMs on MR-Angiography for the purpose of stereotactic radiosurgery. *Int J Radiat Oncol Biol Phys.* 2007 Jan 1;67(1):308-16. *VU University Medical Center, Amsterdam*

[Huang YC, Tseng CK, Chang CN, Wei KC, Liao CC, Hsu PW.](#) LINAC radiosurgery for intracranial cavernous malformation: 10-year experience. *Clin Neurol Neurosurg.* 2006 Dec;108(8):750-6 *Chang Gung Memorial Hospital, Tao Yuan, Taiwan, ROC,*

[Moreno-Jiménez S, Celis-López MA, Lárraga-Gutiérrez JM, Herrera-Gómez L, Suárez-Campos JJ, García-Garduño A, Hernández-Bojórquez M.](#) [Intracranial arteriovenous malformations and radiosurgery with LINAC: review article] *Neurocirugía (Astur).* 2006 Aug;17(4):317-23, *Instituto Nacional de Neurología y Neurocirugía MVS, México*

[Buis DR, Lagerwaard FJ, Barkhof F, Dirven CM, Lycklama GJ, Meijer OW, van den Berg R, Langendijk HA, Slotman BJ, Vandertop WP.](#) Stereotactic radiosurgery for brain AVMs: role of interobserver variation in target definition on digital subtraction angiography. *Int J Radiat Oncol Biol Phys.* 2005 May 1;62(1):246-52. *VU University Medical Center, Amsterdam,* [Full Text + Links](#) | [PDF](#)

[Pedroso AG, De Salles AA, Tajik K, Golish R, Smith Z, Frighetto L, Solberg T, Cabatan-Awang C, Selch MT.](#) Novalis Shaped Beam Radiosurgery of arteriovenous malformations. *J Neurosurg.* 2004 Nov;101 Suppl 3:425-34. *UCLA, Los Angeles*

[Mobin F, De Salles AA, Abdelaziz O, Cabatan-Awang C, Solberg T, Selch .](#) Stereotactic radiosurgery of cerebral arteriovenous malformations: appearance of perinidal T(2) hyperintensity signal as a predictor of favorable treatment response. *Stereotact Funct Neurosurg.* 1999;73(1-4):50-9. *UCLA, Los Angeles, CA*

Brain – Functional Disease

Seizure Treatment: Thalamotomy & Corpus Callosotomy

[Celis MA, Moreno-Jimenez S, Larraga-Gutierrez JM, Alonso-Vanegas MA, Garcia-Garduno OA, Martinez-Juarez IE, Fernandez-Gonzalez MC.](#) Corpus callosotomy using conformal stereotactic radiosurgery. *Childs Nerv Syst.* 2007 Aug;23(8):917-20. *Instituto Nacional de Neurología y Neurocirugía, Tlalpan, México*

[Selch MT, Gorgulho A, Mattozo C, Solberg TD, Cabatan-Awang C, DeSalles AA.](#) Linear accelerator stereotactic radiosurgery for the treatment of gelastic seizures due to hypothalamic hamartoma. *Minim Invasive Neurosurg.* 2005 Oct;48(5):310-4. *UCLA, Los Angeles*

[Frighetto L, De Salles A, Wallace R, Ford J, Selch M, Cabatan-Awang C, Solberg T.](#) Linear accelerator thalamotomy. *Surg Neurol.* 2004 Aug;62(2):106-13; discussion 113-4. *UCLA, Los Angeles*



General

Blonigen BJ, Steinmetz RD, Levin L, Lamba MA, Warnick RE, Breneman JC. [Irradiated Volume as a Predictor of Brain Radionecrosis after Linear Accelerator Stereotactic Radiosurgery](#). *Int J Radiat Oncol Biol Phys*. 2009 Sep 22 *University of Cincinnati College of Medicine, Cincinnati, OH*. [Epub ahead of print]
Milano MT, Katz AW, Okunieff P. [Patterns of Recurrence After Curative-Intent Radiation for Oligometastases Confined to One Organ](#). *Am J Clin Oncol*. 2009 Sep 18. *University of Rochester Medical Center, Rochester, New York* [Epub ahead of print]

Sahgal A, Ma L, Chang E, Shiu A, Larson DA, Laperriere N, Yin FF, Tsao M, Menard C, Basran PS, Létourneau D, Heydarian M, Beachey D, Shukla V, Cusimano M, Hodaie M, Zadeh G, Bernstein M, Schwartz M. [Advances in technology for intracranial stereotactic radiosurgery](#). *Technol Cancer Res Treat*. 2009 Aug;8(4):271-80. includes *Duke University Medical Center, Durham, NC*

Lamba M, Breneman JC, Warnick RE. [Evaluation of Image-Guided Positioning for Frameless Intracranial Radiosurgery](#). *Int J Radiat Oncol Biol Phys*. 2009 Jul 1;74(3):913-9. *University of Cincinnati Neuroscience Institute, Cincinnati, OH*

Lo SS, Fakiris AJ, Teh BS, Cardenes HR, Henderson MA, Forquer JA, Papiez L, McGarry RC, Wang JZ, Li K, Mayr NA, Timmerman RD. [Stereotactic body radiation therapy for oligometastases](#). *Expert Rev Anticancer Ther*. 2009 May;9(5):621-35. Review. Includes *Methodist Hospital Research Institute and Baylor College of Medicine, Houston*

Bednarz G, Machtay M, Werner-Wasik M, Downes B, Bogner J, Hyslop T, Galvin J, Evans J, Curran W Jr, Andrews D. [Report on a randomized trial comparing two forms of immobilization of the head for fractionated stereotactic radiotherapy](#). *Med Phys*. 2009 Jan;36(1):12-7. *Jefferson Medical College, Philadelphia, Pennsylvania*

Wu QJ, Wang Z, Kirkpatrick JP, Chang Z, Meyer JJ, Lu M, Huntzinger C, Yin FF. [Impact of collimator leaf width and treatment technique on stereotactic radiosurgery and radiotherapy plans for intra- and extracranial lesions](#). *Radiat Oncol*. 2009 Jan 21;4(1):3. *Duke University, Durham, NC*

[Kavanagh B](#). Clinical experience shows that catastrophic late effects associated with ablative fractionation can be avoided by technological innovation. *Semin Radiat Oncol*. 2008 Oct;18(4):223-8. *University of Colorado, Denver*

[Kirkpatrick JP, Meyer JJ, Marks LB](#). The linear-quadratic model is inappropriate to model high dose per fraction effects in radiosurgery. *Semin Radiat Oncol*. 2008 Oct;18(4):240-3. *Duke University Medical Center, Raleigh*

[Jensen RL, Wendland MM, Chern SS, Shrieve DC](#). Novalis intensity-modulated radiosurgery: methods for pretreatment planning. *Neurosurgery*. 2008 May;62(5 Suppl):A2-10. *University of Utah Health Sciences Center, Salt Lake City*

[Wurm RE, Erbel S, Schwenkert I, Gum F, Agaoglu D, Schild R, Schlenger L, Scheffler D, Brock M, Budach V](#). Novalis frameless image-guided noninvasive radiosurgery: initial experience. *Neurosurgery*. 2008 May;62(5 Suppl):A11-8; *Charité-Universitätsmedizin Berlin*

[De Salles AA, Gorgulho AA, Selch M, De Marco J, Agazaryan N](#). Radiosurgery from the brain to the spine: 20 years experience. *Acta Neurochir Suppl*. 2008;101:163-8. *UCLA, Los Angeles*

[Yin FF, Wang Z, Yoo S, Wu QJ, Kirkpatrick J, Larrier N, Meyer J, Willett CG, Marks LB](#). Integration of Cone-Beam CT in Stereotactic Body Radiation Therapy. *Duke University Medical Center, Durham NC Technol Cancer Res Treat*. 2008 Apr;7(2):133-40. *Duke University Medical Center, Durham*



[Chen JC, Rahimian J, Girvigian MR, Miller MJ.](#) Contemporary methods of radiosurgery treatment with the Novalis linear accelerator system. *Neurosurg Focus*. 2007;23(6):E4. *Southern California Permanente Medical Group, Los Angeles* [PDF](#)

[Andrews DW, Bednarz G, Evans JJ, Downes B.](#) A review of 3 current radiosurgery systems. *Surg Neurol*. 2006 Dec;66(6):559-64. *Thomas Jefferson University Hospital, Philadelphia*, [Full Text + Links](#), [PDF](#)
[Kavanagh BD, Timmerman RD.](#) Stereotactic radiosurgery and stereotactic body radiation therapy: an overview of technical considerations and clinical applications. *Hematol Oncol Clin North Am*. 2006 Feb;20(1):87. *Univ of Colorado, Denver*

[Whang CJ, Yee GT, Choi CY, Sohn MJ, Lee DJ.](#) First experience in using Novalis shaped beam radiosurgery in Korea. *J Neurosurg*. 2004 Nov;101 Suppl 3:341-5. *Inje University, Gyeong gi, KR*

[Solberg TD, Goetsch SJ, Selch MT, Melega W, Lacan G, DeSalles AA.](#) Functional stereotactic radiosurgery involving a dedicated linear accelerator and gamma unit: a comparison study. *J Neurosurg*. 2004 Nov;101 Suppl 3:373-80. *UCLA, Los Angeles*

[Shrieve DC, Klish M, Wendland MM, Watson GA.](#) Basic principles of radiobiology, radiotherapy, and radiosurgery. *Neurosurg Clin N Am*. 2004 Oct;15(4):467-79. Review. *University of Utah, Salt Lake City*